

GUARDIAN
automotive

OVER 40 YEARS OF MARKET LEADING
AUTOMOTIVE ELECTRICAL COMPONENTS



WINTER 2026 PROMOTION

**LIGHT BARS | WORK LAMPS | BEACONS | MARKERS
HAND LAMPS | BOOSTER PACKS | CCTV**

LIMITED TIME OFFERS - WHILE STOCKS LAST
Available until the end of December



SCAN FOR
PRODUCT
DETAILS

R65 LOW PROFILE LED LIGHT BARS

1ft | 2ft | 3ft | 4ft



GUARDIAN
Alpha



10 - 30
VOLT



IP67
RATED



x18 FLASH
PATTERNS



R65
APPROVED



2 YEAR
WARRANTY

PART NO.	DIMENSIONS	FIXING	LED
AMB718	345mm (1ft)	1-Bolt	40 SMD
AMB720	717mm (2ft)	4-Bolt	80 SMD
AMB721	877mm (3ft)	4-Bolt	96 SMD
AMB722	1197mm (4ft)	4-Bolt	128 SMD



1 BOLT
FIXING



4 BOLT
FIXING

MULTI-PURPOSE LED BEACONS - AMBER | GREEN

60 SMD LEDs | ECE R10, EMC, CE, E, UKCA, CISPR 25 Class 3 Approved

AVAILABLE FIXINGS



1 BOLT

AMB74 ●
AMB74G ●
H.160mm W.130mm



3 BOLT

AMB75 ●
AMB75G ●
H.165mm W.140mm



MAGNETIC

AMB76 ●
AMB76G ●
H.175mm W.130mm



SPIGOT

AMB77 ●
AMB77G ●
H.245mm W.130mm

Lenses also
available



IP66



x3 FLASH
PATTERNS

12-24v

LOW PROFILE LED BEACONS - AMBER | GREEN

18 x 1 watt SMD LEDs

ECE R65 (Amber Only), CAP 168, R10, EMC, CE, E, UKCA, RoHS Approved

AVAILABLE FIXINGS



1 BOLT

AMB924 ●
AMB924G ●
H.95mm W.112mm



3 BOLT

AMB925 ●
AMB925G ●
H.46mm W.112mm



MAGNETIC

AMB926 ●
AMB926G ●
H.46mm W.112mm



SPIGOT

AMB927 ●
AMB927G ●
H.140mm W.112mm

CAP 168



IP67



x7 FLASH
PATTERNS

12-24v

R65

LIMITED TIME OFFERS WHILE STOCKS LAST

LED WORK LAMPS

BEST SELLERS



ECE R10, EMC, CE
H.137mm W.107mm D.35mm

1300 LUMENS

WL50E

9 x 2 watt SMD LEDs
Lumens 1300 R | 1000 E

2500 LUMENS

WL50HPE

9 x 3 watt SMD LEDs
Lumens 2500 R | 1800 E



DUAL MOUNTING



WL101

15 x 3 watt EPISTAR LEDs
Lumens 6300 R | 4500 E
H.118mm W.150mm D.45mm
(horizontal)



ADR APPROVED



WL83

9 x 3 watt OSRAM LEDs
Lumens 2430 R | 1400 E
ADR, ECE R10, EMC, CE, E, UKCA
H.135mm W.108mm D.44mm



WL84

16 x 3 watt OSRAM LEDs
Lumens 4320 R | 2400 E
H.136mm W. 110mm D.65mm



WL85D

Lumens 4320 R
2378 E



IP69K RATED



WL90

9 x LEDs
Lumens 1500 R | 1100 E
ECE R10, CE, RoHS
H.130mm W.100mm D.35mm



WL88

16 x LEDs
Lumens 5200 R | 4000 E
ECE R10, EMC, CE, UKCA
H.118mm W.102mm D.46mm



WL89

Spec as
per WL88



WIDE ANGLE



WL70

12 x 3 watt SMD LEDs
Lumens 2900 R | 2400 E
H.102mm W.98mm D.82mm



2ft WORK LIGHT BAR



LB2

22 x 5 watt CREE LEDs
Lumens 7700 R | 4969 E
Beam Angle 30°
CE, RoHS Approved
L.640mm H.67mm D.82mm



LED WARNING LIGHTS

x3 LED AMBER STROBE



LED3A

3 x 3 watt LEDs | L.92mm W.37mm D.25mm




x4 LED AMBER STROBE



LED4A

4 x 3 watt LEDs | L.138mm W.37mm D.27mm



R10 SLIMLINE



LED3SLA

3 x 1 watt SMD LEDs | L.97mm W.36mm D.17mm



R65 SLIMLINE



LED4SLA

4 x 3 watt SMD LEDs | L.115mm W.36mm D.17mm



ALTERNATIVE COLOURS AVAILABLE ● ● ● ○

AMBER | RED | WHITE OPTIONS



18 x LEDs | 2 Point Fixing & 3M Self Adhesive
ECE R65 (Amber only), R10, CE, E, RoHS, UKCA
L.130mm W.67mm D.7mm

- LED30A - Amber
- LED30R - Red
- LED30W - White



AMBER & WHITE DUAL COLOUR

LED30AW



LOW PROFILE



LED9A

6 x 3 watt LEDs | L.130mm W.30mm D.6mm



ALTERNATIVE COLOURS AVAILABLE ● ● ● ○

LOW PROFILE



LED26A

6 x 5 watt SMD LEDs | 2 Point or Self Adhesive
L.131mm W.31mm D.7mm



ALTERNATIVE COLOURS AVAILABLE ● ● ○

LIMITED TIME OFFERS WHILE STOCKS LAST

LED HAND LAMPS

WITH HOOK, STAND & 6 LIGHT MODES

UP TO 12 HOUR RUN TIME

27 x SMD LEDs (Main)
90° Foldable rear stand and hook
Up to 12 hrs run time
Charge time 5hrs



HL61

HL61CD

COUNTER DISPLAY WITH 12 UNITS



WITH FLEXIBLE INSPECTION LIGHT

UP TO 16 HOUR RUN TIME

15 watt COB LED (Main)
360° hook
Up to 16 hrs run time
Charge time 3.5 hrs



HL62

HL62CD

COUNTER DISPLAY WITH 12 UNITS



WITH HANGING HOOK & POWER BANK

UP TO 15 HOUR RUN TIME

POWER BANK

1 x COB LED (Main) | Dimmable function
Up to 15 hrs run time | Charge time 4 hrs



HL65

HL65CD

COUNTER DISPLAY WITH 12 UNITS



SLIMLINE WITH HANGING HOOK

UP TO 7 HOUR RUN TIME

3 Light modes - High, low, strobe
3 Watt COB LED
Up to 7 hrs run time
Charge time 3 hrs



HL64



FLOOD & SPOT WITH 360° ROTATING BODY

UP TO 9 HOUR RUN TIME

ROTATING BODY 360°

1 x 10 watt COB LED | 1 x 6 watt SMD LED
Magnetic mount and integrated hook
Up to 9 hrs run time
Charge time 4.5 hrs



HL63



FLEXI LED HEAD TORCH WITH 5 LIGHT MODES

UP TO 6 HOUR RUN TIME

1 x 5 watt COB LED strip | 1 x 3 watt CREE LED
Up to 6 hrs run time | Charge time 3 hrs
Sensor activation



HT7

HT7CD

COUNTER DISPLAY WITH 12 UNITS



LED MARKERS & REAR LAMPS

OUTLINE END MARKER



ML72LH **ML72RH**
LEFT HAND RIGHT HAND

8 x LEDs
Clear & Red Lens
ECE Approved
L.135mm



OUTLINE END/SIDE MARKER



ML76
8 x LEDs
Clear, Red, Amber Lens
ECE R10, R148 (red only), EMC, CE, E, RoHS
H.81mm W.98mm D.41mm



AMBER SIDE MARKER



ML50DV
3 x LEDs | Cable Connection
Bracket or Flush fitting
E Approved
L.110mm H.75mm D.46mm (Incl. Bracket)



ALTERNATIVE COLOURS AVAILABLE ● ○

TRIANGULAR LED REAR LAMPS WITH REFLEX REFLECTOR



RL300 LEFT HAND **RL301** RIGHT HAND
16 x LEDs | Cable Connection
Suitable for Car Transporters | EMC, CE, E Approved
L.163mm H.144mm D.60mm

4 FUNCTIONS
Stop | Tail | DI | Reflex Reflector



LED INTERIOR ROOF LIGHTS



INT58 **INT59**
ON/OFF SWITCH (PIR) MOTION DETECTION

12 x SMD LEDs
Lumens 425 | 2 Point Fixing
L.136mm W.66mm D.18mm



INT60 **INT61**
ON/OFF SWITCH (PIR) MOTION DETECTION


42 x SMD LEDs
Lumens 585 | 2 Point Fixing
L.186mm W.66mm D.18mm



H7 BULBS

H7 PX26D

PART NO.	VOLTS	WATTS
447	12	55
467	24	70



PACK OF 10

LIMITED TIME OFFERS WHILE STOCKS LAST

LED UNIVERSAL REAR LAMP WITH INCREMENTAL INDICATOR





RL122

64 x SMD LEDs | Cable Connection
ECE R23, ECE, E Approved
L.283mm H.100mm D.29mm

6 FUNCTIONS

Stop | Tail | DI | Fog | Reverse | Reflex Reflector



LED REAR LAMP WITH INTEGRAL HAZARD WARNING



RL129

20 x SMD LEDs
ECE R65, R10, CE, E, RoHS Approved
H.58mm W.124mm D.82mm

5 FUNCTIONS

Stop | Tail | DI | Reverse | Warning Strobe



R65
APPROVED

LED UNIVERSAL REAR LAMP WITH NEON EFFECT SIDE LIGHT



RL200

30 x LEDs | Cable Connection
EMC, CE, E Approved
L.102mm H.108mm D.56mm

4 FUNCTIONS

Stop | Tail | DI | Number Plate



HEAVY DUTY BOOSTER PACKS 12/24V

Jump starts Petrol and Diesel Engines
Automatic Voltage Detection
LED Emergency Light | Portable Power Bank
Spark Proof | Over Current | Reverse Polarity Protection
USB-A Output x2 | USB-C Charge (5v 2a)
Quick Charge Via DC (29v 5a) | 600mm Lead Length
CE, EMC, UKCA, RoHS Approved

STARTS
UP TO 13L

2500 AMP
PEAK OUTPUT

RAPID
CHARGE



JP6

L.280mm W.189mm H.157mm

STARTS
13L - 18L

7000 AMP
PEAK OUTPUT

JP7

L.300mm W.180mm H.240mm

PREMIUM
BOOSTER



UP TO 100 STARTS ON
A SINGLE CHARGE

12 or 24 VOLT
MULTI VOLTAGE

POWER BANK
& LIGHT

LiCoO₂

CCTV SYSTEMS



7" FHD REVERSING KIT

CCTV24HD

2 Camera Inputs with Mirror or Normal Switching
Lens Angle 100° with Night Vision
Camera Rated IP68 | Remote Control

7"

1080P
FHD

12-24v

Monitor MON24HD | Camera CAM37 | Full Fitting Kit

x4



7" FHD CCTV REVERSING SYSTEM WITH 1TB RECORDING

CCTVHDR4

4 Channel Digital Recorder

Key Lockable Data Storage up to 1x 2.5" 1TB HDD/SDD
and 1x 128GB SD Card - 1TB Hard Drive Included
GPS Data | Mouse controller

7"

1080P
FHD

10-32v

FREE 1TB
HARD DRIVE

Recorder DVR4HD | Monitor MON27HD

Cameras CAM30, CAM35, CAM33S x2 | Full Fitting Kit

5" FHD REVERSING KIT

CCTV23HD

3 Camera Inputs with Mirror or Normal Switching
Lens Angle 120° with Night Vision | Audio Function



5"

1080P
FHD

12-24v

Monitor MON23HD | Camera CAM30 | Full Fitting Kit

FHD REAR CAMERA

CAM30

12 volt (12 - 24 volt via monitor)
18x SMD LEDs | 20 metre lead
Lens angle 120° with 45ft night vision
Audio function
Auto adjust Day/night sensor
H.77mm W.90mm D.70mm

1080P
FHD

IP69K



Compatible with all HD monitors & Kits



7" FHD REVERSING KIT

CCTV27QHD SINGLE, SPLIT, TRIPLE, QUAD VIEW

4 Camera inputs with mirror or normal switching
D1 / 720 / 1080P Auto Sensing | Audio Function
Lens Angle 120° with Night Vision | Remote Control

7"

1080P
FHD

12-24v

R10

Monitor MON27QHD | Camera CAM30 | Full Fitting Kit

LIMITED TIME OFFERS WHILE STOCKS LAST

GUARDIAN
automotive

guardianauto.co.uk

01202 870860

07542 608 476



SCAN FOR
PRODUCT
DETAILS