

3

BULBS



LED HEADLIGHT BULBS	88
HALOGEN HEADLIGHT BULBS	88-90
GAS DISCHARGE BULBS	90
ANCILLARY HALOGEN BULBS	91
HEADLIGHT BUS BULBS	91-92
STOP TAIL FLASHER BULBS	92-93
SIDELIGHT BULBS	94
INSTRUMENT BULBS	94-95
FESTOON BULBS	95
WEDGE BASE BULBS	96-97
TACHOGRAPH PCB BULBS	97-98
BULB KITS	99
LED BULBS	100
BULB HOLDERS	98
LIGHT UNIT & ACCESORIES	99
NEOLUX	101
OSRAM	102-104

BULBS

VEHICLE BULB NUMERICAL INDEX

CAT NO.	DESCRIPTION OF BULB	PAGE
140	24v 48w SBC - BA15d	92
149	24v 5w SCC - BA15s	93
149 LED	24v SCC - BA15s	100
150	24v 5w SBC - BA15d	93
205	6v 5w SCC - BA15s	93
207	12v 5w SCC - BA15s	93
207 LED	12v SCC - BA15s	100
209	12v 5w SBC - BA15d	93
210	12v 10w SBC - BA15d	93
211	12v 15w SCC - BA15s	92
212	24v 15w SCC - BA15s	92
227	24v 6w MCC - BA9s	94
233	12v 4w MCC - BA9s	94
233 LED	12v MCC - BA9s	100
239	12v 5w 11 x 36mm - SV8.5	95
240	24v 15w SCC - BA15s	92
241	24v 21w SCC - BA15s	92
241A	24v 21w SCC - BA15s Amber	92
241 LED	24v SCC - BA15s	100
242	24v 5w 11 x 36mm - SV8.5	95
242 LED	24v SV8.5	100
244	6v 10w SCC - BA15s	93
245	12v 10w SCC - BA15s	93
245 LED	12v SCC - BA15s	100
246	24v 10w SCC - BA15s	93
246D	24v 10w SBC - BA15d	93
246 LED	24v SCC - BA15s	100
247	24v 5w SBC - BA15d Heavy Duty	93
248	24v 5w SCC - BA15s Heavy Duty	93
249	24v 4w MCC - BA9s	94
249 LED	24v MCC - BA9s	100
253	6v 6w 11 x 36mm - SV8.5	95
254	12v 6w 11 x 36mm - SV8.5	95
256	12v 3w 7.5 x 36mm - SV7	95
257	12v 3w 7.5 x 30mm - SV7	95
258	12v 6w 11 x 42mm - SV8.5	95
260	24v 6w 11 x 42mm - SV8.5	95
262	12v 5w 8 x 31mm - SV7	95
265	12v 10w 11 x 42mm - SV8.5	95
266	6v 15w 15 x 42mm - SV8.5	95
267	12v 15w 15 x 42mm - SV8.5	95
269	12v 10w 11 x 30mm - SV8.5	95
270	12v 18w 15 x 42mm - SV8.5	95
272	12v 10w 11 x 36mm - SV8.5	95
273	12v 21w 15 x 42mm - SV8.5	95
274	24v 10w 11 x 42mm - SV8.5	95
275	24v 20w 15 x 42mm - SV8.5	95
276	24v 15w 15 x 42mm - SV8.5	95
279	24v 1.2w BA7s	94
280	12v 1.5w LES - E5	94
281	12v 2w BA7s	94
282	6v 0.6w BA7s	94
283	24v 3w BA7s	94
284	12v 1.2w BA7s	94
285	24v 1.5w LES - E5	94
286	12v 1.2w Wedge Base	96
286S	12v 1.2w Wedge Base (Short)	96
286T	12v 1.2w Tacho - Black	98
286T BK	12v 1.2w PCB Black	97
286T BKX	12v 1.2w PCB Black 1.25mm Gap	97
286T F	12v 1.5w PCB Fawn	97
286T FORD	12v 1.2w PCB Grey	98
286T GMX	12v 2.0w PCB Green	97
286T J	12v 1.8w PCB Jade	98
286T SS	12v 0.5w PCB Grey	97

CAT NO.	DESCRIPTION OF BULB	PAGE
287	6v 2w MCC - BA9s	93
288	12v 2w MCC - BA9s	93
289	24v 2w MCC - BA9s	93
290	24v 21w SCC - BA15s Heavy Duty	92
291	24v 21w SBC - BA15d Heavy Duty	93
293	6v 4w MCC - BA9s	94
294	24v 21/5w SBC - BAY15d Index	93
312	6v 30/24w BPF DC - P36d	91
317	6v 21w SCC - BA15s	92
319	6v 21w SBC - BA15d	93
331	24v 44w - P36d	91
333	24v 24w SBC - BA15d	93
334	24v 24/6wSBC - BAY15d Index	93
335	12v 21w SBC - BA15d	93
336	12v 15w SCC - BA15s	92
339	24v 24w SCC - BA15s	92
343	12v 21w SCC - BA15s Amber	92
345	28v 26w SCC - BA15s	92
346	24v 21w SBC - BA15d	93
348	24v 12w SBC - BA15d	93
380	12v 21/5w SBC - BAY15d Index	93
380A	12v 21/5w SBC - BAY15d Index Amber	93
380C	12v 21/5w Wedge Base	96
380CA	12v 21/5w Wedge Base Amber	96
380C LED	12v W3X16q Wedge Base	100
380 LED	12v SBD - BAY15d Index	100
380P	12v 27/7w Wedge Base Plastic	97
380R	12v 21/5w SBC - BAY15d Index Red	93
381	12v 21/5w SBC - BA15d	93
382	12v 21w SCC - BA15s	92
382C	12v 21w Wedge Base	96
382CA	12v Wedge Base Amber	96
382C LED	12v W3X16d Wedge Base	100
382 LED	12v SCC - BA15s - 19 x LEDs	100
382P	12v 27w Wedge Base Plastic	97
382R	12v 21w SCC - BA15s Red	92
383	6v 21/5w SBC - BA15d	93
384	6v 21/5w SBC - BAY15d Index	93
395	12v 35/35w - P20d	92
397	12v 45w DC - P20d Bosch	92
397S	12v 45w SC - P20s Bosch	91
398	24v 45/40w DC - P20d Bosch	92
400S	24v 45w SC - P20s Bosch	91
410	12v 45/40w P45t Asymmetric	91
432	12v 10w MCC - BA9s	91
433	12v 20w MCC - BA9s	91
434	24v 5w MCC - BA9s	91
435	12v 6w MCC - BAX9s	91
438	12v 21w MCC - BAY9s	91
439	24v 21w MCC - BAY9s	91
446	12v 100w H7 - Px26d	88
447	12v 55w H7 - Px26d	88
447 KIT	1 x 447 + popular 12v Bulbs & Fuses	99
448	12v 55w H1 - P14.5s	88
453	12v 55w H3 - PK22s	88
455	6v 55w H3 - PK22s	88
457	6v 25w H3 - PK22s	88
460	24v 70w H3 - PK22s	88
462	12v 35w H3 - PK22s	88
466	24v 70w H1 - P14.5s	88
467	24v 70w H7 - Px26d	88
467 KIT	1 x 467 + popular 24v Bulbs & Fuses	99
472	12v 60/55w H4 - P43t	88
472 KIT	1 x 472 + popular 12v Bulbs & Fuses	99
475	24v 75/70w H4 - P43t	88

BULBS

VEHICLE BULB NUMERICAL INDEX

CAT NO.	DESCRIPTION OF BULB	PAGE	CAT NO.	DESCRIPTION OF BULB	PAGE
475DC KIT	1 x 475 + popular 24v DC Bulbs & Fuses	99	886	12.8v 50w PGJ13	90
475S	24v 100/80w H4 - P43t O.R.U.	88	894	12.8v 37.5w PGJ13	90
475SC KIT	1 x 475 + popular 24v SC Bulbs & Fuses	99	9005	12v 60w HB3 P20d	89
477	12v 130/90w H4 - P43t O.R.U.	88	9006	12v 51w HB4 - P22d	89
481	12v 100w H1 - P14.5s O.R.U.	88	921	12v 21w Wedge Base	96
484	12v 100/80w H4 - P43t O.R.U.	88	921A	12v 21w Wedge Base	96
485	12v 100/80w H4 - P45t O.R.U.	88	925	12v 16w PCY16W PG18.5d -1	98
487	12v 130w H1 - P14.5s O.R.U.	88	951	6v 6w MCC - BA9s	94
501	12v 5w Wedge Base	96	955	12v 16w Wedge Base	96
501A	12v 5w Wedge Base Amber	96	955A	12v 16w Wedge Base Amber	96
501 LED	12v W2.1 x 9.5d Wedge	100	987	12v 2.2w MES - E10	94
504	12v 3w Wedge Base	96	989	12v 5w MCC - BA9s	94
505	24v 3w Wedge Base	96	990	6v 3w MES - E10	94
507	24v 5w Wedge Base	96	993	24v 2.8w MES - E10	94
507 LED	24v W2.1 x 9.5d - Wedge Base	100	A4896	48v 25/10w SBC - BAY15d Index	93
508	24v 1.2w Wedge Base	96	BB1	Empty Bulb Box	99
508S	24v 1.2w Wedge Base (Short)	96	D1S	* 35w PK32d-2	90
508T	24v 1.2w Tacho Grey	98	D2RE	* 35w PK32d-3	90
508T B	24v 1.2w PCB Brown	98	D2SE	* 35w P32d-2	90
508T BX	24v 1.2w PCB Brown 1.25mm Gap	97	D3S	* 35w PK32d-5	90
508T CX	24v 1.5w PCB Crimson 1.25mm Gap	97	G4700	7" Light Unit with Pilot Light	99
508T NY	24v 1.2w PCB Brown	98	G5400	7" Body Mounting Kit for G4700	99
508T S	24v 1.2w PCB Grey	97	G5401	7" Chrome Retaining Bezel for G4700	99
508T SW	24v 1.2w PCB White	97	G5445	8" Chrome Head Lamp Rim for G4700	99
508T Y	24v 1.2w PCB Yellow	98	H1 LED	9-30v 16w LED H1	88
509	12v 7w Wedge Base	96	H4 LED	9-30v 25w LED H4	88
510	12v 20w Wedge Base	96	H7 LED	9-30v 25w LED H7	88
510A	12v 20w Wedge Base Amber	96	HB12	12v 60/55w H4 - P45t	88
510R	12v 20w Wedge Base Red	96	HLH1	Head Light Holder for P43t/P45t Bulb	98
512	12v 2.2w Wedge Base	96	HLH2	Head Light Holder for H7 Bulb	98
513	24v 2w Wedge Base	96	M270	24v 20w Dichroic 36° Beam	99
566	12v 21/4w SBC - BAZ15d Offset Index	93	SLH2	Metal SCC - BA15s Bulb Holder	98
567	24v 21/4w SBC - BAZ15d Offset Index	93	SLH3	Metal SBC - BA15d Bulb Holder	98
579	24v 21w SCC - BAU15s Offset Amber	93	SLH4	Metal SCC - BA15s Bulb Holder	98
581	12v 21w SCC - BAU15s Offset Amber	93			
641	6v 3w MCC - BA9s	94			
643	12v 2.2w MCC - BA9s	94			
650	24v 2.8w MES - E10	94			
652	24v 3w 7.5 x 36mm - SV7	95			
653	24v 6w 11 x 36mm - SV8.5	95			
655	24v 3w 7.5 x 30mm - SV7	95			
687	24v 1.1w LES - E5	94			
695	24v 2.8w MES - E10 Tubular	95			
704	24v 25w SBC - BAY15d Index Nav. Light	92			
709	12v 65w H9 PGJ19-5	89			
710	12v 42w H10 PY20D	89			
711	12v 55w H11 - PGJ19-2	89			
712	12v 53w H12 - PZ20d	89			
715	12v 15/55w H15 - PGJ23t -1	89			
718	12v 10w G4	99			
719	12v 20w G4	99			
720	24v 20w G4	99			
724	24v 70w H11 - PGJ 19-2	89			
753	48v 45w H3 - PK22s	88			
796	24v 70w SCC - BA15s	91			
805	12v 12w SBC - BA15d	92			
810	12v 20w SBC - BA15d	92			
815	24v 20/60w H15 - PGJ23t -1	89			
817	24v 12w SBC - BA15d	92			
8328	24v 1.2w PCB Fawn	97			
862	12v 5w MES - E10	94			
865	24v 2.8w MCC - BA9s	94			
874	28v 7w SCC - BA15s	93			
875	28v 7w SBC - BA15d	93			
885	12.8v 50w PG13	89			



LEGEND

BC	Bayonet Cap
BPF	British Pre-Focus
DC	Double Contact
ES	Edison Screw
LES	Lilliput Edison Screw
MCC	Miniature Centre Contact
MES	Miniature Eddis Screw
MPF	Miniature Pre-Focus
ORU	Off Road Use
SBC	Small Bayonet Cap
SC	Single Contact
SCC	Small Centre Contact

Whilst every care has been taken in compiling this list, Guardian Automotive Limited cannot accept legal liability should there be inaccuracies.

BULBS LED | HALOGEN HEADLIGHT

LED HEADLIGHT BULB

PACK OF 2

H4 LED

200% more light with a beam up to 30 metres wider than a Halogen version.
Direct replacement.

- 9 - 30 volt
- Output Power 25 watt
- 70% less battery drain than a Halogen
- Colour Temperature 6000k
- CE Approved



LED HEADLIGHT BULB

PACK OF 2

H7 LED

200% more light with a beam up to 30 metres wider than a Halogen version.
Direct replacement.

- 9 - 30 volt
- Output Power 25 watt
- 70% less battery drain than a Halogen
- Colour Temperature 6000k
- CE Approved



LED HEADLIGHT BULB

PACK OF 2

H1 LED

150% more light with a beam up to 30 metres wider than a Halogen version.
Direct replacement with a canbus lead option.

- 9 - 30 volt
- Output Power 16 watt
- 60% less battery drain than a Halogen
- Colour Temperature 6000k
- CE Approved




PACK OF 10

H1 P14.5s

PART NO.	VOLTS	WATTS
448	12	55
* 481	12	100
* 487	12	130
466	24	70


* Off road use only



PACK OF 10

H3 PK22s

PART NO.	VOLTS	WATTS
457	6	25
455	6	55
462	12	35
453	12	55
460	24	70
753	48	45



PACK OF 10

H4 P43t

PART NO.	VOLTS	WATTS
472	12	60/55
* 484	12	100/80
* 477	12	130/90
475	24	75/70
* 475S	24	100/80

* Off road use only



PACK OF 10

H4 P45t

PART NO.	VOLTS	WATTS
HB12	12	60/55
* 485	12	100/80

* Off road use only



PACK OF 10

H7 Px26d

PART NO.	VOLTS	WATTS
447	12	55
* 446	12	100
467	24	70


* Off road use only



BULBS HALOGEN HEADLIGHT


H9 PGJ 19-5

PART NO.	VOLTS	WATTS
709	12	65




H10 PY20D

PART NO.	VOLTS	WATTS
710	12	42




H11 PGJ 19-2

PART NO.	VOLTS	WATTS
711	12	55
724	24	70




H12 PZ20d

PART NO.	VOLTS	WATTS
712	12	53




H15 PGJ23t-1

PART NO.	VOLTS	WATTS
715	12	15/55
815	24	20/60




HB3 P20d

PART NO.	VOLTS	WATTS
9005	12	60




HB4 P22d

PART NO.	VOLTS	WATTS
9006	12	51



PG13


PART NO.	VOLTS	WATTS
885	12.8	50



BULBS HALOGEN | GAS DISCHARGE HEADLIGHT



PGJ13

PART NO.	VOLTS	WATTS
886	12.8	50





PGJ13

PART NO.	VOLTS	WATTS
894	12.8	37.5




P32d-2

PART NO.	VOLTS	WATTS
D2SE	-	35





PK32d-3

PART NO.	VOLTS	WATTS
D2RE	-	35




PK32d-2

PART NO.	VOLTS	WATTS
D1S	-	35



PK32d-5

PART NO.	VOLTS	WATTS
D3S	-	35



OSRAM

LOOKING FOR A SPECIFIC BULB?
CHECK OUT OUR BULB INDEX

See pages 86-87
OSRAM bulbs page 104

BULBS ANCILLARY HALOGEN | HEADLIGHT

PACK OF 10

BA9s

PART NO.	VOLTS	WATTS
432	12	10
433	12	20
434	24	5



PACK OF 10

BAX9s

PART NO.	VOLTS	WATTS
435	12	6



PACK OF 10

BAY9s

PART NO.	VOLTS	WATTS
438	12	21
439	24	21



PACK OF 10

BA15s

PART NO.	VOLTS	WATTS
796	24	70



PACK OF 10

P45t

PART NO.	VOLTS	WATTS
410	12	45/40



PACK OF 10

P36d


PART NO.	VOLTS	WATTS
312	6	30/24



PACK OF 10

P36d

PART NO.	VOLTS	WATTS
331	24	44



PACK OF 10

P20s

PART NO.	VOLTS	WATTS
397S	12	45
400S	24	45



BULBS BUS | STOP | TAIL | FLASHER

PACK OF 10

P20d

PART NO.	VOLTS	WATTS
397	12	45



PACK OF 10

P20d

PART NO.	VOLTS	WATTS
395	12	35/35
398	24	45/40



PACK OF 10

BA15d

PART NO.	VOLTS	WATTS
805	12	12
810	12	20
817	24	12



PACK OF 10

BA15d

PART NO.	VOLTS	WATTS
140	24	48



PACK OF 10

MARINE NAVIGATION BULB

PART NO.	VOLTS	WATTS
704	24	25



PACK OF 10

BA15s

PART NO.	VOLTS	WATTS
211	12	15
212	24	15



PACK OF 10

BA15s

PART NO.	VOLTS	WATTS
317	6	21
336	12	15
343	12	21
382	12	21
382R	12	21
240	24	15

PART NO.	VOLTS	WATTS
241	24	21
241A	24	21
*290 HEAVY DUTY	24	21
339	24	24
345	28	26

(* Supported Filament)



STOP | TAIL | FLASHER | BULBS SIDE

PACK OF 10

BAU15s

PART NO.	VOLTS	WATTS
581	12	21
579	24	21



PACK OF 10

BA15d

PART NO.	VOLTS	WATTS
319	6	21
335	12	21
348	24	12
346	24	21
333	24	24
*291 HEAVY DUTY	24	21



(* Supported Filament)

PACK OF 10

BA15d

PART NO.	VOLTS	WATTS
383	6	21/5
381	12	21/5



PACK OF 10

BAY15d

PART NO.	VOLTS	WATTS
384	6	21/5
380	12	21/5
380A	12	21/5
380R	12	21/5
294	24	21/5
334	24	24/6
A4896	48	25/10



PACK OF 10

BAZ15d

PART NO.	VOLTS	WATTS
566	12	21/4
567	24	21/4



PACK OF 10

BA15s

PART NO.	VOLTS	WATTS
207	12	5
245	12	10
149	24	5
246	24	10
874	28	7
205	6	5
244	6	10
248 HEAVY DUTY	24	5



PACK OF 10

BA15d

PART NO.	VOLTS	WATTS
209	12	5
210	12	10
150	24	5
246D	24	10
875	28	7
247 HEAVY DUTY	24	5



PACK OF 10

BA9s

PART NO.	VOLTS	WATTS
287	6	2
288	12	2
289	24	2




BULBS SIDELIGHT | INSTRUMENT

PACK OF 10

BA9s


PART NO.	VOLTS	WATTS
293	6	4
233	12	4
249	24	4



PACK OF 10

BA9s


PART NO.	VOLTS	WATTS
641	6	3
643	12	2.2
865	24	2.8



PACK OF 10

BA9s


PART NO.	VOLTS	WATTS
951	6	6
989	12	5
227	24	6



PACK OF 10

BA7s


PART NO.	VOLTS	WATTS
282	6	0.6
284	12	1.2
281	12	2
279	24	1.2
283	24	3



PACK OF 10

E5


PART NO.	VOLTS	WATTS
280	12	1.5
687	24	1.1
285	24	1.5



PACK OF 10

E10


PART NO.	VOLTS	WATTS
990	6	3
987	12	2.2
650	24	2.8



PACK OF 10

E10

PART NO.	VOLTS	WATTS
862	12	5



PACK OF 10

E10

PART NO.	VOLTS	WATTS
993	24	2.8



BULBS

INSTRUMENT | FESTOON


PACK OF 10

E10

PART NO.	VOLTS	WATTS
695	24	2.8

10 mm

28 mm



PACK OF 10

SV7

PART NO.	VOLTS	WATTS
262	12	5

8 mm

31 mm

7 mm



PACK OF 10

SV7

PART NO.	VOLTS	WATTS
257	12	3
655	24	3

7.5 mm

30 mm

7 mm



PACK OF 10

SV7

PART NO.	VOLTS	WATTS
256	12	3
652	24	3

7.5 mm

36 mm

7 mm



PACK OF 10

SV8.5

PART NO.	VOLTS	WATTS
269	12	10

11 mm

30 mm

8.5 mm



PACK OF 10


SV8.5

PART NO.	VOLTS	WATTS
253	6	6
239	12	5
254	12	6
272	12	10
242	24	5
653	24	6

11 mm

36 mm

8.5 mm



PACK OF 10

SV8.5

PART NO.	VOLTS	WATTS
258	12	6
265	12	10
260	24	6
274	24	10

11 mm

42 mm

8.5 mm



PACK OF 10

SV8.5

PART NO.	VOLTS	WATTS
266	6	15
267	12	15
270	12	18
273	12	21
276	24	15
275	24	20

15 mm

42 mm

8.5 mm




BULBS WEDGE BASE

PACK OF 10

W2 X 4.6d

PART NO.	VOLTS	WATTS
286S	12	1.2
508S	24	1.2



PACK OF 10

W2 X 4.6d



PART NO.	VOLTS	WATTS
286	12	1.2
508	24	1.2



PACK OF 10

W2.1 X 9.5d

PART NO.	VOLTS	WATTS
512	12	2.2
504	12	3
501	12	5
501A	12	5
513	24	2
505	24	3
507	24	5



PACK OF 10

W2.1 X 9.5d

PART NO.	VOLTS	WATTS
509	12	7



PACK OF 10

W2.1 X 9.5d


PART NO.	VOLTS	WATTS
921	12	21
921A	12	21



PACK OF 10

W2.1 X 9.5d


PART NO.	VOLTS	WATTS
510	12	20
510A	12	20
510R	12	20
955	12	16
955A	12	16



PACK OF 10

W3 X 16q


PART NO.	VOLTS	WATTS
380C	12	21/5
380CA	12	21/5



PACK OF 10

W3 X 16d

PART NO.	VOLTS	WATTS
382C	12	21
382CA	12	21




WEDGE BASE | TACHOGRAPH | BULBS P.C.B.

PACK OF 10

W2.5 X 16q


PART NO.	VOLTS	WATTS
380P	12	27/7



PACK OF 10

W2.5 X 16d

PART NO.	VOLTS	WATTS
382P	12	27



PACK OF 10

KW2 X 4.6D


PART NO.	VOLTS	WATTS	BASE COLOUR
286T SS	12	0.5	Grey
508T SW	24	1.2	White



PACK OF 10

BX8.4D


PART NO.	VOLTS	WATTS	BASE COLOUR
286T BKX	12	1.2	Black
508T CX	24	1.5	Crimson



PACK OF 10

B8.4D


PART NO.	VOLTS	WATTS	BASE COLOUR
286T F	12	1.5	Fawn



PACK OF 10

B8.3D

PART NO.	VOLTS	WATTS	BASE COLOUR
286T BK	12	1.2	Black
508T S	24	1.2	Grey



PACK OF 10

BX8.5D


PART NO.	VOLTS	WATTS	BASE COLOUR
286T GMX	12	2.0	Green
508T BX	24	1.2	Brown



PACK OF 10

BX8.5D

PART NO.	VOLTS	WATTS	BASE COLOUR
8328	24	1.2	Fawn



BULBS | TACHOGRAPH | P.C.B. | HOLDERS

PACK OF 10

B8.5D


PART NO.	VOLTS	WATTS	BASE COLOUR
286T	12	1.2	Black
508T	24	1.2	Grey



PACK OF 10

B8.7D


PART NO.	VOLTS	WATTS	BASE COLOUR
286T FORD	12	1.2	Grey
508T B	24	1.2	Brown



PACK OF 10

BAX


PART NO.	VOLTS	WATTS	BASE COLOUR
286T J	12	1.8	Jade
508T NY	24	1.2	Brown
508T Y	24	1.2	Yellow



PACK OF 10

PCY16W PG18.5D-1

PART NO.	VOLTS	WATTS
925	12	16



ECCO BULB HOLDERS

SLH2 Ecco No. 13520.00



- Metal BA15s Bulb Holder
- Complete with Cable and Terminals

SLH3 Ecco No. 13519.00

- Metal BA15d Bulb Holder
- Complete with Cable and Terminals



ECCO BULB HOLDER

SLH4 Ecco No. 13235.00.10



- Plastic Moulded BA15s Bulb Holder
- Complete with Screw Terminals



BULB HOLDER

HLH1

- Ceramic Headlight Holder for H4 Bulbs
- Cable rating of 8.2 Amps
- 130mm cable
- Angled cable exit
- Suitable for multiple voltages



BULB HOLDER

HLH2

- Ceramic Headlight Holder for H7 Bulbs
- Cable rating of 8.2 Amps
- 130mm cable
- Angled cable exit
- Suitable for multiple voltages



BULBS KITS | HALOGEN | LIGHT UNITS

BULB KITS

447 KIT

Bulbs 1x 447 | 2x 382 | 2x 207 | 1x 239 | 1x 233
Fuses 1x BF10 | 1x BF15

467 KIT

Single Contact

Bulbs 1x 467 | 2x 241 | 2x 149 | 1x 249 | 1x 242
Fuses 1x BF10 | 1x BF15

472 KIT

Bulbs 1x 472 | 2x 382 | 2x 207 | 1x 239 | 1x 233
Fuses 1x BF10 | 1x BF15

475SC KIT

Single Contact

Bulbs 1x 475 | 2x 149 | 2x 241 | 1x 242 | 1x 249
Fuses 1x BF10 | 1x BF15

475DC KIT

Double Contact

Bulbs 1x 475 | 2x 150 | 2x 346 | 1x 242 | 1x 249
Fuses 1x BF10 | 1x BF15



BULB KIT BOX

BB1

Empty Bulb Kit Box
 Can be purchased empty
 or stocked to individual
 requirements.

Bespoke pricing available
 from the sales office.



PACK OF 10

MR16C DICHROIC BULBS

PART NO.	VOLTS	WATTS
M270	24	20

- Dichroic - Closed End MR16C (36°)



PACK OF 10

G4


PART NO.	VOLTS	WATTS
718	12	10
719	12	20
720	24	20



7" HEADLAMP KIT

G4700

- 7" Quadoptic Light Unit with Curved Lens and Pilotlight
- 12 volt - 472 | 24 volt - 475



G5400

- 7" Mounting Kit for G4700
- Consists of a rigid plastic headlamp bowl with a chrome retaining bezel




G5401

- 7" Chrome Retaining Bezel for G5400



G5445

- 8" Chrome Head Lamp Rim for G5400



BULBS

LED BULBS

PACK OF 2

LED BULBS

PART NO.	VOLTS	FITTING
207 LED	12	BA15s
149 LED	24	BA15s
245 LED	12	BA15s
246 LED	24	BA15s



OFF ROAD USE ONLY

Design may vary



PACK OF 2

LED BULBS

PART NO.	VOLTS	FITTING
233 LED	12	BA9s
249 LED	24	BA9s



OFF ROAD USE ONLY

Design may vary



PACK OF 2

LED BULBS

PART NO.	VOLTS	FITTING
380C LED	12	W3X16q
382C LED	12	W3X16d



OFF ROAD USE ONLY

Design may vary



PACK OF 2


LED BULBS

PART NO.	VOLTS	FITTING
501 LED	12	W2.1 x 9.5d
507 LED	24	W2.1 x 9.5d



OFF ROAD USE ONLY

Design may vary



LED BULBS

PART NO.	VOLTS	FITTING
242 LED	24	SV8.5



PACK OF 2

LED BULBS

PART NO.	VOLTS	FITTING
382 LED	12	BA15s
241 LED	24	BA15s



OFF ROAD USE ONLY

Design may vary



PACK OF 2

LED BULBS

PART NO.	VOLTS	FITTING
380 LED	12	BAY15d



OFF ROAD USE ONLY

Design may vary



OSRAM BULB PACKS

from page 102

OSRAM



NEOLUX®

GERMAN TECHNOLOGY



AS OSRAM STOCKISTS WE HAVE ACCESS TO THEIR FULL RANGE OF NEOLUX BRAND BULBS, LISTED BELOW.

PART NO.	DESCRIPTION
N149	Neolux 24v 5w SCC - BA15s
N150	Neolux 24v 5w SBC - BA15d
N207	Neolux 12v 5w SCC - BA15s
N233	Neolux 12v 4w MCC - BA9s
N239	Neolux 12v 5w 11 x 36mm - SV8.5
N241	Neolux 24v 21w SCC - BA15s
N245	Neolux 12v 10w SCC - BA15s
N246	Neolux 24v 10w SCC - BA15s
N249	Neolux 24v 4w MCC - BA9s
N334	Neolux 24v 24/6w SBC - BAY15d Index
N346	Neolux 24v 21w SBC - BA15d
N380	Neolux 12v 21/5w SBC - BA15d Index
N380C	Neolux 12v 21/5w W3x16q
N382	Neolux 12v 21w SCC - BA15s
N382C	Neolux 12v 21w W3x16d
N447	Neolux 12v 55w H7 - Px26d (499)

PART NO.	DESCRIPTION
N448	Neolux 12v 55w H1 - P14.5s
N453	Neolux 12v 55w H3 - PK22s
N460	Neolux 24v 70w H3 - PK22s
N466	Neolux 24v 70w H1 - P14.5s
N467	Neolux 24v 70w H7 - Px26d (499A)
N472	Neolux 12v 60/55w H4 - P43t
N475	Neolux 24v 75/70w H4 - P43t
N501	Neolux 12v 5w T10 Wedge Base
N501A	Neolux 12v 5w T10 Wedge Base Amber
N504	Neolux 12v 3w T10 Wedge Base
N505	Neolux 24v 3w T10 Wedge Base
N507	Neolux 24v 5w T10 Wedge Base
N508	Neolux 24v 1.2w T5 Wedge Base
N508T	Neolux 24v 1.2w T5 Tacho Grey
N581	Neolux 12v 21w SCC - BAU15 Amber
N711	Neolux 12v 55w H11 - PGJ19-2

BULBS OSRAM

NIGHT BREAKER SILVER

OSRAM offers a performance halogen automotive lamp with an optimized lifetime. OSRAM NIGHT BREAKER SILVER generates up to 100% more brightness compared to the minimum legal standard and a beam which is up to 130 meters long. This allows you to see road signs, obstacles and hazards sooner and the driver is left with more time to react

447NBS
OSRAM: 64210NBS Direct replacement
for H7 bulb

448NBS
OSRAM: 64150NBS Direct replacement
for H1 bulb

472NBS
OSRAM: 64193NBS Direct replacement
for H4 bulb



Up to 100% more brightness



Up to 130m long beam



Excellent performance-lifetime ratio

OSRAM

PACK OF 2



NIGHT BREAKER LASER

This halogen headlight lamps shine up to 150% brighter compared to the minimum legal standard. The highly engineered filament ensures an extra light boost. Consequently, the lamps provide an up to 150m long beam and up to 20% whiter light compared to the minimum legal standard. More light and improved visibility can help drivers identify and react to traffic hazards more quickly.

447NBL
OSRAM: 64210NL Direct replacement
for H7 bulb

448NBL
OSRAM: 64150NL Direct replacement
for H1 bulb

453NBL
OSRAM: 64151NL Direct replacement
for H3 bulb

472NBL
OSRAM: 64193NL Direct replacement
for H4 bulb

711NBL
OSRAM: 64211NL Direct replacement
for H11 bulb



Up to 150% more brightness



Up to 150m long beam



Up to 20% whiter light

OSRAM

PACK OF 2



NIGHT BREAKER 200

The brightest halogen automotive light from OSRAM!. With up to 200% more brightness and up to 20% whiter light compared to the minimum legal standard and generate an up to 150m long beam. More light and improved visibility can help drivers identify and react to traffic hazards more quickly.

447NB200
OSRAM: 64210NB200 Direct replacement
for H7 bulb

472NB200
OSRAM: 64193NB200 Direct replacement
for H4 bulb



Up to 200% more brightness



Up to 150m long beam



Up to 20% whiter light



Mirror chrome cap

OSRAM

PACK OF 2



COOL BLUE INTENSE (NEXT GEN)

With its powerful and bright extra white light up to 5,000 Kelvin. This head light also provides a high-contrast light similar to daylight, which makes it easier on the eyes than the light from standard lamps. The OSRAM COOL BLUE INTENSE range is up to 100% more brightness! The modern design with silver cap is ideal for use in clear-glass headlights.

447CBN
OSRAM: 64210CBN Direct replacement
for H7 bulb

448CBN
OSRAM: 64150CBN Direct replacement
for H1 bulb

472CBN
OSRAM: 64193CBN Direct replacement
for H4 bulb

711CBN
OSRAM: 64211CBN Direct replacement
for H11 bulb



Xenon look



Up to 4,200 Kelvin



Up to 20% more brightness

OSRAM

PACK OF 2



OSRAM ULTRA LIFE

Has an impressive lifespan up to four times longer compared to standard halogen lamps. OSRAM provides a 4 year guarantee for the reliable ULTRA LIFE headlight lamps. In addition to this, ULTRA LIFE headlight lamps have a modern design with silver cap (H4/H7/H11). They are therefore ideal for frequent drivers or people who use daytime running lights, and can also be used in clear-glass headlights.

447UL
OSRAM: 64210ULT Direct replacement for H7 bulb


448UL
OSRAM: 64150ULT Direct replacement for H1 bulb

472UL
OSRAM: 64193ULT Direct replacement for H4 bulb

-  **4 year OSRAM guarantee**
-  **Extra lifetime**
-  **More durability**

OSRAM

PACK OF 2



COOL BLUE BOOST

Features hyper white halogen light for LED look and high colour temperatures of up to 5,500 K. The lamps generate enhanced brightness. These products do not have ECE approval. This means they must not be used on public roads in any exterior application.

448CBB
OSRAM: 62150CBB Direct replacement for H1 bulb



OFF ROAD USE ONLY

-  **LED look**
-  **Up to 5,000 Kelvin**
-  **Up to 100% more brightness**

OSRAM

PACK OF 2



TRUCKSTAR PRO

Up to 100% more light than standard lamps, extremely long life and very high vibration resistance these 24 volt lamps are ideal for professional drivers while reducing downtime and fleet costs. Thanks to the high vibration resistance, TRUCKSTAR PRO lamps are suitable even for heavy duty applications.

460TS
OSRAM: 64156TSP Direct replacement for H3 bulb

466TS
OSRAM: 64155TSP Direct replacement for H1 bulb

467TS
OSRAM: 64215TSP Direct replacement for H7 bulb

475TS
OSRAM: 64196TSP Direct replacement for H4 bulb

-  **Up to 2.5 times longer lifetime**
-  **Up to 120% more brightness**
-  **Very high vibration resistance**

OSRAM

PACK OF 10



DIADEM CHROME INDICATOR

581C OSRAM: 7507DC

- Chrome coated
- Appear almost invisible when placed behind a clear lens
- Flash amber when operating
- ECE approved
- Compliant to regulation 37



ECE APPROVED



PACK OF 2

OSRAM

NIGHT BREAKER LASER

D2SNB OSRAM: 66240XNB

Efficient Xenon technology ensures a better visibility on the road.

-  **Up to 200% more brightness**
-  **Up to 250m long beam**
-  **Up to 20% whiter light**

OSRAM



BULBS

OSRAM BULB NUMERICAL INDEX

As OSRAM stockists we have access to their full range of branded bulbs, listed below.

GUARDIAN	OSRAM
149 OSRAM	5627
150 OSRAM	5626
207 OSRAM	5007
233 OSRAM	3893
239 OSRAM	6418
241 OSRAM	7511
242 OSRAM	6423
245 OSRAM	5008
246 OSRAM	5637
246TS OSRAM	5637TSP
248TS OSRAM	5627TSP
249 OSRAM	3930
286 OSRAM	2721
288 OSRAM	3796
290TS OSRAM	7511TSP
334 OSRAM	7537
380 OSRAM	7528
382 OSRAM	7506
447 OSRAM	64210
447CBN OSRAM	64210CBN
447NB200 OSRAM	64210NB200
447NBL OSRAM	64210NL
447NBS OSRAM	64210NBS
447UL OSRAM	64210ULT
448 OSRAM	64150
448CBB OSRAM	62150CBB
448CBN OSRAM	64150CBN
448NBL OSRAM	64150NL
448NBS OSRAM	64150NBS
448UL OSRAM	64150ULT
453 OSRAM	64151

GUARDIAN	OSRAM
453NBL OSRAM	64151NL
460 OSRAM	64156
460TS OSRAM	64156TSP
466 OSRAM	64155
466TS OSRAM	64155TSP
467 OSRAM	64215
467TS OSRAM	64215TSP
472 OSRAM	64193
472CBN OSRAM	64193CBN
472NB200 OSRAM	64193NB200
472NBL OSRAM	64193NL
472NBS OSRAM	64193NBS
472UL OSRAM	64193ULT
475 OSRAM	64196
475TS OSRAM	64196TSP
501 OSRAM	2825
504 OSRAM	2821
505 OSRAM	2841
507 OSRAM	2845
508 OSRAM	2741
508T OSRAM	2741MF
566 OSRAM	7225
581 OSRAM	7507
581C OSRAM	7507DC
711CBN OSRAM	64211CBN
711NBL OSRAM	64211NL
D2R OSRAM	66250
D2S OSRAM	66240
D2SNB OSRAM	66240XNB
D3S OSRAM	66340

LEGEND

C	Chrome
CBB	Cool Blue Boost
CBN	Cool Blue Intense (Next Gen)
NBL	Night Breaker Laser
NBS	Night Breaker Silver
TS	Truckstar Heavy Duty Pro
UL	Ultra Life

